

Mathematical Capabilities of Large Language Models in Finnish Matriculation Examination

Mika Setälä¹, Pieta Sikström¹, Ville Heilala², and Tommi Kärkkäinen¹

¹Faculty of Information Technology, University of Jyväskylä, Finland

²Faculty of Humanities and Social Sciences, University of Jyväskylä, Finland

April 18, 2025

Abstract

Large language models (LLMs) have shown increasing promise in educational settings, yet their mathematical reasoning has been considered evolving. This study evaluates the mathematical capabilities of various LLMs using the Finnish matriculation examination, a high-stakes digital test for upper secondary education. Initial tests yielded moderate performance corresponding to mid-range grades, but later evaluations demonstrated substantial improvements as the language models evolved. Remarkably, some models achieved near-perfect or perfect scores, matching top student performance and qualifying for university admission. Our findings highlight the rapid advances in the mathematical proficiency of LLMs and illustrate their potential to also support educational assessments at scale.

1 Introduction

Conversational learning technologies have demonstrated a significant potential in educational contexts, spanning disciplines from history to medicine and natural sciences (Heilala et al., 2025; Sikström et al., 2022, 2024). Since OpenAI launched ChatGPT in late 2022, the education landscape has undergone disruption, where Large Language Model (LLM) based learning tools have been increasingly embedded in education. LLMs can enhance personalized learning (Pesovski et al., 2024) and provide individual scaffolding for students while enhancing engagement through interactive learning experiences (Kasneci et al., 2023). The findings from a literature review (Almarashdi et al., 2024) suggested that, in general, ChatGPT can enhance personalized learning, motivation, and engagement.

The potential benefits of LLMs are also present in mathematics, where several studies have concluded the benefits of using conversational AI (Dasari et al., 2024; Frieder et al., 2023; Urhan et al., 2024; Wardat et al., 2023; Zhao et al., 2023). For example, a conversational agent can both answer mathematical questions and also serve as a mathematical search engine and knowledge base (Frieder et al., 2023). With the growing recognition of the benefits and increasing prevalence of LLMs, a deeper understanding of their role in education is essential (Siegle et al., 2023). In particular, given their somewhat ambiguous capabilities in mathematical reasoning (Ahn et al., 2024), it is crucial to explore their impact and effectiveness in mathematics learning.

Digital performance in Finland is distinguished¹, and nearly 80% of the learning materials in upper secondary education were digital in 2023 (OECD, 2023). The national matriculation

¹Digital Economy and Society Index 2022 - Country Reporting

examination² taken at the end of the Finnish upper secondary school (ISCED Level 3) is a fully digitalized, biannual, high-stakes test designed to assess how well students have met curriculum requirements (Virtanen et al., 2024). Since rigorous benchmarking of LLMs relies on standardized evaluation criteria to ensure fair and objective comparison between models, the aim of this study was to contribute to the understanding of LLMs’ mathematical reasoning capabilities by using the Finnish matriculation examination in advanced mathematics as test data. To explore the mathematical performance of LLMs, we pose the following research question: *How do different LLM models perform in Finnish matriculation examination?*

2 Capabilities of LLMs in mathematics

The rapid adoption of LLMs has fueled competition among providers, leading to an unprecedented acceleration in development. In 2023 alone, 21 major LLMs were released (Naveed et al., 2023), and the speed has been increasing ever since. Table 1 presents an overview of the development trajectory and different versions of some popular LLMs.

Experiences and experiments on the use of LLMs in mathematics education are conditioned on the mathematical capabilities of these systems. For example, ChatGPT’s mathematical competence is argued to be sufficient to teach rational numbers according to middle school curricula (Kaplan, 2025). However, it lacked pedagogical content knowledge, particularly in explaining the representation of rational numbers on a number line and their conversion to decimal form. Some argued that the use of ChatGPT in mathematical reasoning requires expertise in calculus concepts (Urhan et al., 2024). In addition, in engineering mathematics, certain challenges necessitated the adaptation of teaching strategies and methodologies (Sánchez-Ruiz et al., 2023).

Frieder et al. (2023) reported that the exam-solving capabilities of CHATGPT/GPT-4 were well below the level of a graduate student. In addition, according to tests by Achiam et al. (2023) in January 2023, CHATGPT was not able to produce high-quality proofs or calculations consistently, even if the quality of the answers was sometimes surprisingly good. These observations were reflected by Zhao et al. (2023), who concluded that mathematical reasoning and coding abilities should be enhanced by training with more mathematical texts and code data. In October 2024, Apple researchers (Mirzadeh et al., 2024) presented findings that LLMs fail to perform genuine logical reasoning in mathematical tasks. Their study revealed that even minor modifications in the formulation of a problem could significantly degrade model performance.

Previous assessments of AI mathematical proficiency have predominantly relied on three key datasets (Table 2). MATH Dataset (Hendrycks et al., 2021) is a collection of 12,500 problems sourced from high school and undergraduate mathematics competitions. The subset MATH-500 comprises the 500 most challenging problems, widely used to evaluate LLM performance in mathematical reasoning. American Invitational Mathematics Examination (AIME) (Mathematical Association of America (MAA), 2024) is a 15-question, three-hour test that has been administered to students scoring in the top 5% of the AMC 12 competition. AIME serves as an intermediate stage in the selection process for the USAMO and the USAJMO, which are key qualifiers for the International Mathematical Olympiad. The difficulty of AIME problems increases progressively, and each answer is a three-digit integer. The problems span various mathematical fields, including algebra, geometry, number theory, and combinatorics, demanding advanced problem-solving skills and creativity. Chinese National Mathematics Olympiad (CNMO) serves as a selection process for the national team competing in the International Mathematical Olympiad. It focuses on deep mathematical concepts like functional equations, symmetries, and mathematical analysis. These benchmarks have provided a foundation for eval-

²<https://www.ylioppilastutkinto.fi/en/matriculation-examination>

LLM Model	Initial Release Date	Initial Knowledge Cutoff	Description
ChatGPT (GPT-3.5) ^a	2022/11/30	2021/09	The initial OpenAI ChatGPT release, a sibling model to InstructGPT
GPT-4 ^a	2023/03/14	2021/09	A large multimodal model introduced with the ChatGPT Plus subscription
Bard ^b	2023/03/21		Google’s chatbot initially based on the LaMDA language model.
DeepSeek Coder ^c	2023/11/01		Initial release focusing on coding capabilities
GPT-4 Turbo ^a	2023/11/06	2023/04	A model with a 128k context window
DeepSeek LLM ^c	2023/11/29		Expanded language model with improved performance
Gemini 1 ^b	2023/12/06		Bard rebranded to Gemini and updated to the Gemini LLM
DeepSeek-MoE ^c	2024/01/09		Mixture-of-Experts architecture for more efficient modeling
Gemini 1.5 ^b	2024/02/15		A new architecture and expanded context handling
DeepSeek V2 ^c	2024/05/06		Introduced new features and enhancements
GPT-4o ^a	2024/05/13	2023/10	Multimodal model capable of processing text, images, and audio
o1-preview ^a	2024/09/12	2023/10	A reasoning model
o1-mini ^a	2024/09/12	2023/10	A reasoning model
o1 ^a	2024/12/05	2023/10	A reasoning model
Gemini 2.0 Flash Exp ^b	2024/12/11		Enhancements in speed and performance
DeepSeek V3 ^c	2024/12/25		Performance improvements with multi-modal support
DeepSeek R1 ^c	2025/01/20		Recent release at the time of writing
Gemini 2.0 Flash ^b	2025/01/30		Recent release at the time of writing
o3-mini ^a	2025/01/31	2023/10	A reasoning model

Table 1: Versions and initial release dates of OpenAI^a, Google^b, and DeepSeek^c models

uating AI’s mathematical abilities, yet new evaluation frameworks will be necessary to assess progress meaningfully as AI capabilities evolve.

Benchmark (Pass@1)	o3-mini (high)	4o 0513	V3	o1- mini	o1- 1217	R1
AIME 2024	87.3	9.3	39.2	63.6	79.2	79.8
MATH-500	-	74.6	72.3	91.4	97.3	96.3
CNMO 2024	-	10.8	43.2	67.6	-	78.8

Table 2: Mathematical benchmark results (Guo et al., 2025; OpenAI, 2025a)

3 Capabilities of LLMs in Finnish matriculation examination of mathematics

In this study, the mathematical capabilities of different LLM versions (See Table 1) were evaluated in four time periods: August 2023, November 2023, April 2024, and January 2025. The Finnish matriculation examination of mathematics is arranged at two different levels of difficulty: the advanced level and the basic level. This study used four versions of the Finnish matriculation examination in advanced mathematics level, Spring 2001, Autumn 2023, Spring 2024 and Autumn 2024. The assessment was organized similarly to tests with GPT-4, which were based on examinations originally designed for humans (Achiam et al., 2023). The LLMs’ answers were graded according to the national grading guidelines (The Matriculation Examination Board of Finland, 2025). The Finnish matriculation examination is graded with seven grades: L, E, M, C, B, A, and I, where L refers to the highest grade and I refers to failing the examination (The Matriculation Examination Board of Finland, 2025).

In August 2023, the mathematical performance was tested by using the examination from Spring 2021. By this time, OpenAI’s GPT-4 scored 64 out of 120 points, achieving the second-highest grade of E. In contrast, Google’s Bard scored 34 points, corresponding to a middle-grade C.

In November 2023, OpenAI’s GPT-4 was tested using the examination from Autumn 2023, and its performance was significantly improved because it utilized programming capabilities in Python. Symbolic calculation proceeded with the assistance of Python’s SYMPY library, and OpenAI’s GPT-4 was able to visualize the complexities of numerous challenging space geometry tasks accurately. The score was 93 out of 120 points, corresponding to the highest grade L.

In April 2024, three different LLMs were evaluated using the spring 2024 examination. A summary of the free and paid versions of the three service providers: OpenAI CHATGPT, Microsoft’s COPILOT, and Google’s GEMINI is presented in Table 3. ChatGPT 4-turbo (paid) achieved L with 92/120 points, BARD (GEMINI) (free version) scored 40/120 with a grade of C, and COPILOT (paid) was at a level scoring 66/120 and E.

In January 2025, the fourth evaluation was conducted using the autumn 2024 matriculation examination. At the time, OpenAI’s o1 model had already established itself as the leading contender. Still, the recent arrival DeepSeek R1 outperformed o1 by achieving a perfect score across all tasks. However, OpenAI quickly responded with the release of o3, which matched DeepSeek’s performance. Meanwhile, the Gemini 2.0 Experimental Advanced version also significantly improved its capabilities, reaching a much higher performance level than in the previous evaluations of the model. In January 2025, results showed Gemini scoring 115/120, ChatGPT o1 reaching 118/120, and both DeepSeek R1 and ChatGPT o3 achieving the full 120/120.

Table 3: Summary of total scores and grades for various models in the various MAA examinations (maximum score 120)

Model (testing time)	Exam	Score=Mem	Grade	
OpenAI GPT-4 (23/08/05)	S2021	64	E	
Google Bard (23/08/05)	S2021	34	C	
OpenAI GPT-4 (23/10/26)	A2023	93	L	
OpenAI gpt-4-turbo (24/04/09)	S2024	92	L	
CoPilot PRO (24/04/30)	S2024	66	E	Exam (Finnish)
Google Gemini Free (24/04/30)	S2024	40	C	
Google Gemini 2.0 (25/01/25)	A2024	115	L	
ChatGPT o1 (25/01/25)	A2024	118	L	
ChatGPT o3 (25/02/05)	A2024	120	L	
DeepSeek R1 (25/01/27)	A2024	120	L	

matriculation examination): S=Spring, A=Autumn,
Grade: L (the best), E, M, C, B, A, I (fail)

These exceptionally high scores indicated that the models had reached or even exceeded the limits of the current grading scale. As a result, the January evaluation was expanded to include all 13 tasks, enabling a more detailed analysis of each model’s full problem-solving capacity and relative strengths (Table 4). To provide a visual overview of the rapid progress observed, Figure 1 illustrates the development of mathematical performance over time for two leading LLMs. The figure highlights how the capabilities of these models evolved significantly from moderate results in August 2023 to perfect scores in January 2025.

Model	T1	T2	T3	T4	T5	T6	T7	T8	T9	T10	T11	T12	T13	Sum (G)
ChatGPT o1	11	12	12	12	12	12	12	12	12	6	6	12	10	141 (L)
Gemini 2.0 exp. adv.	12	12	8	12	10	12	12	9	12	4	8	12	12	135 (L)
Deepseek R1	12	12	12	12	12	12	12	12	12	12	12	12	12	156 (L)
ChatGPT o3	12	12	12	12	12	12	12	12	12	12	12	12	12	156 (L)

Table 4: Comparison of LLMs on Autumn 2024 MAA exam.

4 Discussion and conclusion

We tested the mathematical capabilities of different versions of LLMs using the Finnish secondary school matriculation examination in mathematics as test data. The study results demonstrated the rapid improvement of LLMs in performing upper secondary mathematics. The current capabilities of the best LLMs to elaborate and solve high-stakes mathematical problems are sufficient to achieve top performance in the Finnish national examinations.

The recent AI models employ various techniques for problem-solving, which significantly enhance their mathematical reasoning and problem-solving capabilities. OpenAI’s *o1* model (OpenAI, 2024b) introduces a chain-of-thought (CoT) reasoning approach (Wei et al., 2022), which mirrors the way a human might pause and reason before answering a complex question. Through reinforcement learning (Sutton & Barto, 2018), the model learns to structure its internal




Figure 1: Development of capabilities of two leading LLMs

reasoning in sequential steps, improving its ability to identify and correct mistakes, simplify complex subproblems, and switch strategies when initial attempts fail (OpenAI, 2024a). OpenAI’s o3-mini (OpenAI, 2025b) introduced adjustable reasoning effort, can adapt its depth of analysis using three reasoning effort settings (low, medium, and high) . This flexibility enhances accuracy in mathematical problems, as seen in the AIME 2024 competition, where o3-mini achieved 87.3% accuracy, outperforming GPT-4 (Table 2) (OpenAI, 2025a).

Another advancement in mathematical AI reasoning came from DeepSeek R1 (DeepSeek AI, 2025), which showed excellent performance and leverages reinforcement learning alone without human feedback-based fine-tuning to enhance multi-step logical reasoning (Guo et al., 2025). While models such as GPT-4 rely on direct inference without iterative self-evaluation, DeepSeek R1 employs deliberative reasoning, where it revises and refines its reasoning process before finalizing an answer (Guo et al., 2025). While o3-mini adjusts reasoning effort through predefined modes (OpenAI, 2025b), DeepSeek R1 learns to allocate reasoning steps adaptively through reinforcement learning (Guo et al., 2025). The combination of *reinforcement learning, adaptive problem-solving, and self-correcting iteration* establishes DeepSeek R1 as one of the advanced models currently in mathematical reasoning (Guo et al., 2025; Mercer et al., 2025).

Earlier studies remained quite skeptical about the mathematical capabilities of LLMs (Dao & Le, 2023; Frieder et al., 2023). However, the recent development has significantly improved their usefulness in mathematics at the secondary education level and maybe even in the fields that utilize mathematics at higher education and in working life. In Finland, mathematics has the highest weight in certificate-based selection to higher education, influencing admissions to competitive fields such as medicine, law, and engineering (Hakanen et al., 2023). According to the national higher education database (Vipunen, 2024), the average grades in advanced mathematics for admitted students in 2023 were as follows: medicine 6.5, law 5.9, mathematics 5.6, and civil engineering 5.4. For mathematics students, the grade distribution among those selected was: L (18%), E (42%), M (24%), and C (16%). Based on these statistics, the earlier versions of the LLMs as tested in Section 3 already demonstrated a strong likelihood of qualifying for university studies in various fields, including mathematics itself.

Our results showed that nowadays, multiple LLMs achieve full or nearly full scores in the Finnish matriculation examination in advanced mathematics. This means that an up-to-date LLM would qualify for higher education and would likely be ranked among the top applicants in the most competitive fields. Similar results have been found in other studies. In the Turkish Dental Specialization Exam (DUS), OpenAI’s o1 achieved 97.88% accuracy (outperforming all human candidates), and Gemini 2.0 Advanced got 96.82% (Kinikoglu, 2025). Furthermore, AI models have passed major medical licensing exams worldwide, including the USMLE (USA), PLAB (UK), and NMLE (Japan), which are not just entrance exams but full professional certification tests that determine the eligibility to practice medicine or start a specialization (Liu et al., 2024).

While the present study demonstrates that state-of-the-art LLMs can now achieve top-level performance in high-stakes mathematics examinations, their potential as instructional agents remains an open question. As mathematical task-solving competence becomes increasingly saturated, future research should shift focus toward evaluating the pedagogical capabilities of LLMs in dialogue-based learning contexts. Specifically, it is essential to examine whether these models can engage in meaningful educational interactions — identifying student misconceptions, posing effective scaffolding questions, and fostering conceptual understanding without prematurely revealing solutions (Niño-Rojas et al., 2024; Tack & Piech, 2022). Emerging datasets such as MATHDIAL (Macina et al., 2023) offer promising frameworks for studying these pedagogical dimensions. Exploring the extent to which LLMs can function not only as problem solvers but also as adaptive and equitable tutors represents a critical direction for advancing their role in

education.

References

- Achiam, J., Adler, S., Agarwal, S., Ahmad, L., Akkaya, I., Aleman, F. L., Almeida, D., Al-tenschmidt, J., Altman, S., Anadkat, S., et al. (2023). GPT-4 technical report. *arXiv preprint arXiv:2303.08774*. <https://doi.org/https://doi.org/10.48550/arXiv.2303.08774>
- Ahn, J., Verma, R., Lou, R., Liu, D., Zhang, R., & Yin, W. (2024). Large language models for mathematical reasoning: Progresses and challenges. *arXiv preprint arXiv:2402.00157*. <https://doi.org/https://doi.org/10.48550/arXiv.2402.00157>
- Almarashdi, H. S., Jarrah, A. M., Khurma, O. A., & Gningue, S. M. (2024). Unveiling the potential: A systematic review of chatgpt in transforming mathematics teaching and learning. *EURASIA Journal of Mathematics, Science and Technology Education*, 20(12), em2555. <https://doi.org/10.29333/ejmste/15739>
- Dao, X. Q., & Le, N. B. (2023). Investigating the effectiveness of chatGPT in mathematical reasoning and problem solving: Evidence from the Vietnamese national high school graduation examination. *arXiv preprint arXiv:2306.06331*. <https://doi.org/10.48550/arXiv.2306.06331>
- Dasari, D., Hendriyanto, A., Sahara, S., Suryadi, D., Muhaimin, L. H., Chao, T., & Fitriana, L. (2024). ChatGPT in didactical tetrahedron, does it make an exception? a case study in mathematics teaching and learning. *Frontiers in Education*, 8, 1295413. <https://doi.org/10.3389/educ.2023.1295413>
- DeepSeek AI. (2025). Deepseek r1 release – hugging face model card [Accessed: 11 April 2025].
- Frieder, S., Pinchetti, L., Chevalier, A., Griffiths, R.-R., Salvatori, T., Lukasiewicz, T., Petersen, P. C., & Berner, J. (2023). Mathematical capabilities of ChatGPT. *arXiv preprint arXiv:2301.13867*. <https://doi.org/10.48550/arXiv.2301.13867>
- Guo, D., Yang, D., Zhang, H., Song, J., Zhang, R., Xu, R., & He, Y. (2025). Deepseek-r1: Incentivizing reasoning capability in llms via reinforcement learning. *arXiv preprint arXiv:2501.12948*. <https://doi.org/10.48550/arXiv.2501.12948>
- Hakanen, M., Kalmbach, A., Kuuppelomäki, T., Lauronen, T., Suhonen, T., & Virkola, T. (2023). *Todistusvalintahankkeen loppuraportti* (tech. rep.) ((in Finnish)). VATT Muistiot 70, VATT Institute for Economic Research. <https://urn.fi/URN:ISBN:978-952-274-293-3>
- Heilala, V., Araya, R., & Hämäläinen, R. (2025). Beyond text-to-text: An overview of multimodal and generative artificial intelligence for education using topic modeling. *Proceedings of the 40th ACM/SIGAPP Symposium on Applied Computing (SAC '25)*, 1–10. <https://doi.org/10.1145/3672608.3707764>
- Hendrycks, D., Burns, C., Kadavath, S., Arora, A., Basart, S., Tang, E., & Steinhardt, J. (2021). Measuring mathematical problem solving with the math dataset. *arXiv preprint arXiv:2103.03874*. <https://doi.org/10.48550/arXiv.2103.03874>
- Kaplan, H. A. (2025). Chatgpt’s knowledge in mathematics teaching: An example of rational numbers. *Pegem Journal of Education and Instruction*, 15(2), 63–75. <https://doi.org/10.47750/pegegog.15.02.07>
- Kasneci, E., Sessler, K., Küchemann, S., Bannert, M., Dementieva, D., Fischer, F., Gasser, U., Groh, G., Günnemann, S., Hüllermeier, E., Krusche, S., Kutyniok, G., Michaeli, T., Nerdel, C., Pfeffer, J., Poquet, O., Sailer, M., Schmidt, A., Seidel, T., ... Kasneci, G. (2023). ChatGPT for good? on opportunities and challenges of large language models for education. *Learning and individual differences*, 103, 102274. <https://doi.org/10.1016/j.lindif.2023.102274>

- Kinikoglu, I. (2025). Evaluating chatgpt and google gemini performance and implications in turkish dental education. *Cureus*, 17(1). <https://doi.org/10.7759/cureus.77292>
- Liu, M., Okuhara, T., Chang, X., Shirabe, R., Nishiie, Y., Okada, H., & Kiuchi, T. (2024). Performance of chatgpt across different versions in medical licensing examinations worldwide: Systematic review and meta-analysis. *Journal of Medical Internet Research*, 26, e60807. <https://doi.org/10.2196/60807>
- Macina, J., Daheim, N., Chowdhury, S. P., Sinha, T., Kapur, M., Gurevych, I., & Sachan, M. (2023). MathDial: A Dialogue Tutoring Dataset with Rich Pedagogical Properties Grounded in Math Reasoning Problems. *arXiv preprint arXiv:2305.14536*. <https://doi.org/10.48550/arXiv.2305.14536>
- Mathematical Association of America (MAA). (2024). Maa invitational competitions [Accessed: 2024-02-05]. <https://maa.org/maa-invitational-competitions/>
- Mercer, S., Spillard, S., & Martin, D. P. (2025). Brief analysis of deepseek r1 and its implications for generative ai. *arXiv preprint arXiv:2502.02523*. <https://doi.org/10.48550/arXiv.2502.02523>
- Mirzadeh, I., Alizadeh, K., Shahrokhi, H., Tuzel, O., Bengio, S., & Farajtabar, M. (2024). Gsm-symbolic: Understanding the limitations of mathematical reasoning in large language models. *arXiv preprint arXiv:2410.05229*. <https://doi.org/10.48550/arXiv.2410.05229>
- Naveed, H., Khan, A. U., Qiu, S., Saqib, M., Anwar, S., Usman, M., Barnes, N., & Mian, A. (2023). A comprehensive overview of large language models. *arXiv preprint arXiv:2307.06435 (version v9 from Apr, 2024)*. <https://doi.org/10.48550/arXiv.2307.06435>
- Niño-Rojas, F., Lancheros-Cuesta, D., Jiménez-Valderrama, M. T. P., Mestre, G., & Gómez, S. (2024). Systematic review: Trends in intelligent tutoring systems in mathematics teaching and learning. *International Journal of Education in Mathematics, Science and Technology*, 12(1), 203–229. <https://doi.org/10.46328/ijemst.3189>
- OECD. (2023). *OECD digital education outlook 2023*. [https://doi.org/https://doi.org/https://doi.org/https://doi.org/10.1787/c74f03de-en](https://doi.org/https://doi.org/https://doi.org/10.1787/c74f03de-en)
- OpenAI. (2024a). Learning to reason with language models [Accessed: 11 April 2025].
- OpenAI. (2024b). Openai o1 system card [Accessed: 11 April 2025].
- OpenAI. (2025a). Openai o3-mini: Pushing the frontier of cost-effective reasoning [Accessed: February 9, 2025].
- OpenAI. (2025b). Openai o3-mini: Pushing the frontier of cost-effective reasoning [Accessed: 11 April 2025].
- Pesovski, I., Santos, R., Henriques, R., & Trajkovik, V. (2024). Generative AI for customizable learning experiences. *Sustainability*, 16(7), 3034. <https://doi.org/10.3390/su16073034>
- Sánchez-Ruiz, L. M., Moll-López, S., Nuñez-Pérez, A., Morano-Fernández, J. A., & Vega-Fleitas, E. (2023). ChatGPT challenges blended learning methodologies in engineering education: A case study in mathematics. *Applied Sciences*, 13(10), 6039. <https://doi.org/10.3390/app13106039>
- Siegle, R. F., Schroeder, N. L., Lane, H. C., & Craig, S. D. (2023). Twenty-five years of learning with pedagogical agents: History, barriers, and opportunities. *TechTrends*, 67(5), 851–864. <https://doi.org/10.1007/s11528-023-00869-3>
- Sikström, P., Valentini, C., Sivunen, A., & Kärkkäinen, T. (2022). How pedagogical agents communicate with students: A two-phase systematic review. *Computers & Education*, 188, 104564. <https://doi.org/10.1016/j.compedu.2022.104564>
- Sikström, P., Valentini, C., Sivunen, A., & Kärkkäinen, T. (2024). Pedagogical agents communicating and scaffolding students' learning: High school teachers' and students' perspectives. *Computers & Education*, 222, 105140. <https://doi.org/10.1016/j.compedu.2024.105140>

- Sutton, R. S., & Barto, A. G. (2018). *Reinforcement learning: An introduction* (2nd). MIT Press.
- Tack, A., & Piech, C. (2022). The ai teacher test: Measuring the pedagogical ability of blender and gpt-3 in educational dialogues. *arXiv preprint arXiv:2205.07540*. <https://doi.org/10.48550/arXiv.2205.07540>
- The Matriculation Examination Board of Finland. (2025). Characteristics of good answers [Accessed: February 21, 2025 (in Finnish)]. <https://www.ylioppilastutkinto.fi/fi/tutkinnon-suorittaminen/hyvan-vastauksen-piirteet>
- Urhan, S., Gençaslan, O., & Dost, Ş. (2024). An argumentation experience regarding concepts of calculus with ChatGPT. *Interactive Learning Environments*, 1–26. <https://doi.org/10.1080/10494820.2024.2308093>
- Vipunen. (2024). Vipunen - education statistics finland [Accessed: 2024-06-27].
- Virtanen, H., Ernvall-Hytönen, A.-M., & Laaksonen, A. (2024). Vector misconceptions in Finnish matriculation examination. *FMSERA Journal*, 1–17. <https://journal.fi/fmsera/article/view/127798>
- Wardat, Y., Tashtoush, M. A., AlAli, R., & Jarrah, A. M. (2023). ChatGPT: A revolutionary tool for teaching and learning mathematics. *Eurasia Journal of Mathematics, Science and Technology Education*, 19(7), em2286. <https://doi.org/10.29333/ejmste/13272>
- Wei, J., Wang, X., Schuurmans, D., Bosma, M., Chi, E., Le, Q., & Zhou, D. (2022). Chain-of-thought prompting elicits reasoning in large language models. *arXiv preprint arXiv:2201.11903*. <https://doi.org/10.48550/arXiv.2201.11903>
- Zhao, W. X., Zhou, K., Li, J., Tang, T., Wang, X., Hou, Y., Min, Y., Zhang, B., Zhang, J., Dong, Z., et al. (2023). A survey of large language models. *arXiv preprint arXiv:2303.18223*. <https://doi.org/10.48550/arXiv.2303.18223>